

Prepared for:
Super Snouts Hemp Co.

PO Box 17306
Reno, NV USA 89511

CBG+MOJO CBG Restore Soft Chew 30ct (449 SSHC132)

Batch ID or Lot Number: 032522	Test: Potency	Reported: 14Sep2023	USDA License: N/A
Matrix: Unit	Test ID: T000255591	Started: 13Sep2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 12Sep2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.077	0.264	ND	ND	# of Servings = 1, Sample Weight=4.5g
Cannabichromenic Acid (CBCA)	0.071	0.241	ND	ND	
Cannabidiol (CBD)	0.273	0.690	<LOQ	<LOQ	
Cannabidiolic Acid (CBDA)	0.280	0.708	ND	ND	
Cannabidivarin (CBDV)	0.065	0.163	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.117	0.295	ND	ND	
Cannabigerol (CBG)	0.044	0.150	4.820	1.10	
Cannabigerolic Acid (CBGA)	0.184	0.626	ND	ND	
Cannabinol (CBN)	0.057	0.195	ND	ND	
Cannabinolic Acid (CBNA)	0.125	0.427	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.219	0.746	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.199	0.678	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.176	0.600	ND	ND	
Tetrahydrocannabivarin (THCV)	0.040	0.136	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.156	0.530	ND	ND	
Total Cannabinoids			4.820	1.10	
Total Potential THC			ND	ND	
Total Potential CBD			0.000	0.00	

Final Approval



Karen Winternheimer
14Sep2023
01:44:00 PM MDT

PREPARED BY / DATE



Sam Smith
14Sep2023
01:45:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/7c45bc03-1c57-4b12-ab8a-610659767e3e>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
7c45bc031c574b12ab8a610659767e3e.1