


SSHC #22

Batch ID:	Chill Out Chews	Test ID:	T000159006
Type:	Unit	Submitted:	08/20/2021 @ 09:34 AM
Test:	Potency	Lot Code:	0709211, 0709212, 0709213, 0709214
Method:	TM14 (HPLC-DAD)	Best By:	7/23

CANNABINOID PROFILE



CBD 0.11%

CBDa 0.00%

delta 9 THC 0.00%

THCa 0.00%

Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	0.19	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	0.21	ND	ND
Cannabidiolic acid (CBDA)	0.32	ND	ND
Cannabidiol (CBD)	0.31	5.00	1.1
Delta 8-Tetrahydrocannabinol (Delta 8THC)	0.23	ND	ND
Cannabinolic Acid (CBNA)	0.13	ND	ND
Cannabinol (CBN)	0.06	ND	ND
Cannabigerolic acid (CBGA)	0.20	ND	ND
Cannabigerol (CBG)	0.05	0.12	0.0
Tetrahydrocannabivarinic Acid (THCVA)	0.17	ND	ND
Tetrahydrocannabivarin (THCV)	0.04	ND	ND
Cannabidivarinic Acid (CBDVA)	0.13	ND	ND
Cannabidivarin (CBDV)	0.07	ND	ND
Cannabichromenic Acid (CBCA)	0.08	ND	ND
Cannabichromene (CBC)	0.08	ND	ND
Total Cannabinoids		5.12	1.1
Total Potential THC**		ND	ND
Total Potential CBD**		5.00	1.1

NOTES:

of Servings = 1, Sample Weight=4.51g

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

$$\text{Total THC} = \text{THC} + (\text{THCa} * 0.877)$$

$$\text{Total CBD} = \text{CBD} + (\text{CBDa} * 0.877)$$

ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL



 Sam Smith
 24-Aug-2021
 3:32 PM



 Rvan Weems
 24-Aug-2021
 3:33 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02