

Prepared for:
SUPER SNOOTS HEMP COMPANY
8995 TERABYTE DR., STE B
RENO, NV USA 89521


Chill Out


Batch ID or Lot Number: 082523	Test: Potency	Reported: 30Aug2023	USDA License: N/A
Matrix: Unit	Test ID: T000254518	Started: 29Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 29Aug2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.086	0.232	ND	ND	# of Servings = 1, Sample Weight=4.5g
Cannabichromenic Acid (CBCA)	0.078	0.212	ND	ND	
Cannabidiol (CBD)	0.288	0.710	5.560	1.20	
Cannabidiolic Acid (CBDA)	0.295	0.728	ND	ND	
Cannabidivarin (CBDV)	0.068	0.168	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.123	0.304	ND	ND	
Cannabigerol (CBG)	0.049	0.132	0.150	0.00	
Cannabigerolic Acid (CBGA)	0.203	0.551	ND	ND	
Cannabinol (CBN)	0.063	0.172	ND	ND	
Cannabinolic Acid (CBNA)	0.138	0.376	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.242	0.656	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.220	0.596	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.195	0.528	ND	ND	
Tetrahydrocannabivarin (THCV)	0.044	0.120	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.172	0.466	ND	ND	
Total Cannabinoids			5.710	1.20	
Total Potential THC			ND	ND	
Total Potential CBD			5.560	1.20	

Final Approval


Sam Smith
30Aug2023
01:21:00 PM MDT
PREPARED BY / DATE


Karen Winternheimer
30Aug2023
01:23:00 PM MDT
APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/25278020-e085-48f9-bb58-d4b2211c918d>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
25278020e08548f9bb58d4b2211c918d.1