

Prepared for:
SUPER SNOOTS HEMP COMPANY

8995 TERABYTE DR., STE B
RENO, NV USA 89521

Chill & Out

Batch ID or Lot Number: 091223	Test: Potency	Reported: 20Sep2023	USDA License: N/A
Matrix: Unit	Test ID: T000256121	Started: 19Sep2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 15Sep2023	Status: N/A

Cannabinoids	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.084	0.269	ND	ND	# of Servings = 1, Sample Weight=4.5g
Cannabichromenic Acid (CBCA)	0.077	0.246	ND	ND	
Cannabidiol (CBD)	0.265	0.715	5.620	1.20	
Cannabidiolic Acid (CBDA)	0.272	0.733	ND	ND	
Cannabidivarin (CBDV)	0.063	0.169	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.113	0.306	ND	ND	
Cannabigerol (CBG)	0.048	0.153	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.200	0.638	ND	ND	
Cannabinol (CBN)	0.062	0.199	ND	ND	
Cannabinolic Acid (CBNA)	0.136	0.435	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.238	0.760	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.216	0.690	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.192	0.611	ND	ND	
Tetrahydrocannabivarin (THCV)	0.043	0.139	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.169	0.539	ND	ND	
Total Cannabinoids			5.620	1.20	
Total Potential THC			ND	ND	
Total Potential CBD			5.620	1.20	

Final Approval

K. Winternheimer

Karen Winternheimer
20Sep2023
02:54:00 PM MDT

Samantha Smith

Sam Smith
20Sep2023
02:56:00 PM MDT



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/189397e1-d492-41f7-9443-f84132318450>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert 94329-02
189397e1d49241f79443f84132318450.1