



Certificate of Analysis

Super Snouts Hemp Co.
25410

Concentrates & Extracts, Distillate,
Hexane Harvest/Production Date:

Sample: 2012FID3598.22817

Strain: hemp

Batch #: B1203-002; Lot #:

METRC Batch: ; METRC Sample:

Analysis Initiated: 12/14/2020; Report Created: 12/16/2020

Sampling SOP: SOP-0050



ND Total Potential Psychoactive THC
ND Total Raw THC

76.55% Total CBD
78.74% Total Cannabinoids

Not Tested Foreign Matter
Not Tested NT Moisture


Cannabinoids

Complete

Analytical Calibration Batch: Cannabinoids AF 11182020

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.09	ND	ND
Δ9-THC	0.09	ND	ND
Δ8-THC	0.09	ND	ND
THCV	0.09	ND	ND
CBDa	0.09	ND	ND
CBD	0.09	76.55	765.5
CBN	0.09	0.11	1.1
CBGa	0.09	0.11	1.1
CBG	0.09	1.98	19.8
CBC	0.09	ND	ND
Total		78.74	787.4

Legend: CBD (light blue), CBG (dark blue), CBN (grey), CBGa (medium blue)




97.2%

Total Potential Psychoactive THC = THCa * 0.877 + d9-THC
Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, SOP-0037; Full spectrum cannabinoid analysis utilizing Shimadzu Prominence High Performance Liquid Chromatography with UV detection (HPLC-UV).
SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed using fisher calipers.
SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL.



Fidelity Diagnostics Laboratory
1001 North Russell St.
Missoula, MT 59808
(406) 926-2211
http://www.fidimt.com



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017

Accreditation #: 102722

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866



www.confidentcannabis.com

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 003 [Sample Analyzed as Received]



FIDELITY
DIAGNOSTICS

Certificate of Analysis

Powered by Confident Cannabis
2 of 3

Super Snouts Hemp Co.
25410

Concentrates & Extracts, Distillate,
Hexane Harvest/Production Date:

Sample: 2012FID3598.22817

Strain: hemp

Batch #: B1203-002; Lot #:

METRC Batch: ; METRC Sample:

Analysis Initiated: 12/14/2020; Report Created: 12/16/2020

Sampling SOP: SOP-0050

Terpenes

Analytical Calibration Batch:

Analyte	LOQ	Mass	Mass
---------	-----	------	------

Primary Aromas

--	--	--	--	--

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory
1001 North Russell St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>



Andre Umansky
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866



Accredited to ISO/IEC 17025:2017

Accreditation #: 102722

www.confidentcannabis.com

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 003 [Sample Analyzed as Received]



Certificate of Analysis

Super Snouts Hemp Co.
25410

Concentrates & Extracts, Distillate,
Hexane Harvest/Production Date:

Sample: 2012FID3598.22817

Strain: hemp
Batch #: B1203-002; Lot #:
METRC Batch: ; METRC Sample:
Analysis Initiated: 12/14/2020; Report Created: 12/16/2020
Sampling SOP: SOP-0050

Residual Solvents

Analytical Calibration Batch: R.S. 12032020

Pass

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Acetone	400	5000	ND	Pass	Isopropanol	400	5000	ND	Pass
Benzene	2	2	ND	Pass	Methanol	400	3000	<LOQ	Pass
Butane	40	5000	ND	Pass	Methylene-Chloride	20	5000	ND	Pass
Chloroform	2	2	ND	Pass	n-Pentane	20	5000	ND	Pass
Cyclohexane	20	3500	ND	Pass	o-Xylene	20	2170	ND	Pass
Ethyl-Acetate	20	5000	ND	Pass	Propane	40	5000	ND	Pass
Heptane	20	5000	ND	Pass	Toluene	20	890	ND	Pass
Hexanes	20	290	ND	Pass	Xylenes	20	2170	ND	Pass
Isobutane	40	5000	ND	Pass					

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins

Not Tested

Analytical Calibration Batch:

Analyte	LOQ	State Limit	Mass	Status
---------	-----	-------------	------	--------

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

Microbials

Not Tested

Analyte	Limit	Mass	Status
---------	-------	------	--------

LOQ = Limit of Quantitation; TNC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057; Mold, E.Coli, and Salmonella analysis on AriaDX qPCR using Medicinal Genomics validated methods.
SOP-0061: Mold enumeration using Hardy Diagnostics media.



Fidelity Diagnostics Laboratory
1001 North Russell St.
Missoula, MT 59808
(406) 926-2211
http://www.fidimt.com
License # L-00002



Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Andre Umansky
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866



This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No. 003 [Sample Analyzed as Received]